
66350

XENARC ORIGINAL | Gas discharge headlight lamps for cars



Areas of application

- Headlight

Product benefits

- OEM Quality
- Wide product range
- Reliable quality
- 4 year guarantee

Product features

- Original spare parts

Technical data


Electrical data

Power input	35 W
Nominal voltage	42.0 V
Nominal wattage	35.00 W
Power input tolerance	±3 %
Test voltage	13.5 V

Photometrical data

Luminous flux	2800 lm
Luminous flux tolerance	±16 %

Dimensions & weight



Length	80.0 mm
Diameter	9 mm
Product weight	63.00 g

Lifespan

Lifespan B3	1500 h
Lifespan Tc	2500 h

Additional product data

Base (standard designation)	PK32d-6
-----------------------------	---------

Certificates & standards

ECE category	D3R ¹⁾
Approval marks – approval	GOST

¹⁾ To be operated only with approved electronic control gear

Product datasheet

Country specific categorizations

Order reference	66350 35W PK32D
-----------------	-----------------

Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4008321129857	OSRA66350	-	-	-

Product datasheet

Safety advice

XENARC lamp change is recommended to be carried out by a professional.

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321129857	66350	Folding carton box 1	93 mm x 46 mm x 53 mm	0.23 dm ³	83.00 g
4008321129864	66350	Shipping carton box 10	245 mm x 110 mm x 120 mm	3.23 dm ³	916.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

Guarantee terms are available at

▶ www.osram.com/am-guarantee

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.