

64196TSP

TRUCKSTAR PRO | Halogen headlight lamps for trucks



Product family benefits

- More light allows to see farther and therefore react sooner
- Reduced downtime and fleet costs
- Suitable for heavy duty applications
- Excellent value for money
- Improved road illumination
- Suitable for heavy duty applications thanks to very high vibration resistance
- Increased driving safety thanks to better illumination of the road

Product family features

- Up to 100% more brightness compared to the minimum legal standard
- More than double the service life compared to standard lamps
- Very high vibration resistance
- Cost-effective
- Impressive brightness and reliability

Product datasheet

Technical data

Electrical data


Power input	85 / 80 W ¹⁾
Nominal voltage	24.0 V
Nominal wattage	75/70 W
Test voltage	28.0 V

¹⁾ Maximum

Photometrical data

Luminous flux	1900/1200 lm
Luminous flux tolerance	±15 / ±15 %
Color temperature	3200 K

Dimensions & weight



Length	82.0 mm
Product weight	25.90 g

Lifespan

Lifespan B3	140 / 450 h ¹⁾
Lifespan Tc	300 / 1000 h ¹⁾

¹⁾ Filament 1 / Filament 2

Additional product data

Base (standard designation)	P43t
-----------------------------	------

Certificates & standards

ECE category	H4
--------------	----

Product datasheet

Country specific categorizations

Order reference	64196TSP
-----------------	----------

Product datasheet

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321785046	64196TSP	Folding carton box 1	47 mm x 47 mm x 71 mm	0.16 dm ³	33.90 g
4008321785053	64196TSP	Bundle 10	235 mm x 80 mm x 94 mm	1.77 dm ³	339.00 g
4008321785060	64196TSP	Shipping carton box 100	485 mm x 160 mm x 250 mm	19.40 dm ³	3643.00 g
4008321785077	64196TSP	Hard Cover Box 2	114 mm x 49 mm x 106 mm	0.58 dm ³	143.80 g
4008321785084	64196TSP	Shipping carton box 20	250 mm x 240 mm x 106 mm	6.36 dm ³	1498.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Legal advice

Light output compared to the minimum ECE 112 requirements.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.