

# XEN NIBR LASER 66340XNL

# XENARC NIGHT BREAKER LASER | Xenon headlight lamps



#### Product family benefits

- More light allows to see further and therefore react faster
- Better visibility
- Close to laser look
- Signs, obstacles and hazards can be recognized sooner
- Premium quality made in Germany

#### Product family features

- Up to 200% more brightness compared to the minimum legal standard
- Up to 250 m long beam
- Up to 20% whiter light compared to the minimum legal standard
- Optimized light distribution for higher performance
- Original Spare Part Quality that exceeds all ECE minimum standards

# Product datasheet

#### Technical data

## **Electrical data**

Nominal voltage	42.0 V	
Nominal wattage	35.00 W	
Test voltage	13.5 V	

#### Photometrical data

Color temperature	4600 K

# **Dimensions & weight**

Length	80.0 mm
Diameter	9 mm
Product weight	63.00 g

# Additional product data

Base (standard designation)	PK32d-5

#### Certificates & standards

ECE category	D3S <sup>1)</sup>
--------------	-------------------

<sup>1)</sup> To be operated only with approved electronic control gear

# **Country specific categorizations**

Order reference	66340XNL
-----------------	----------

## Product datasheet

#### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899992979	XEN NIBR LASER 66340XNL	Folding carton box 1	53 mm x 46 mm x 93 mm	0.23 dm <sup>3</sup>	82.96 g
4052899992986	XEN NIBR LASER 66340XNL	Shipping carton box 4	112 mm x 97 mm x 101 mm	1.10 dm <sup>3</sup>	364.00 g
4052899582491	XEN NIBR LASER 66340XNL	Shipping carton box 48	- x - x -		
4052899993099	XEN NIBR LASER 66340XNL	Hard Cover Box 2	114 mm x 48 mm x 106 mm	0.58 dm <sup>3</sup>	218.08 g
4052899993105	XEN NIBR LASER 66340XNL	Shipping carton box 10	257 mm x 129 mm x 121 mm	4.01 dm <sup>3</sup>	1170.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## Legal advice

Compared to minimum ECE R98/R99 requirements

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.