

2722

ORIGINAL | Lamps with glass wedge bases



Product benefits

- Wide product range
- Reliable quality

Product features

- Original spare parts

Technical data


Electrical data

Power input	2 W
Nominal voltage	12.0 V
Nominal wattage	2.00 W
Power input tolerance	±15 %
Test voltage	13.5 V

Photometrical data

Luminous flux	12 lm
Luminous flux tolerance	±20 %

Dimensions & weight



Length	20.0 mm
Diameter	5 mm
Product weight	0.40 g

Lifespan

Lifespan B3	1300 h
Lifespan Tc	4000 h

Additional product data

Base (standard designation)	W2x4.6d
-----------------------------	---------

Certificates & standards

ECE category	-
--------------	---

Country specific categorizations

Product datasheet

Order reference	2722
-----------------	------

Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4008321094803	OSRA2722	-	-	-
4050300925783	OSRA2722BLI2	-	-	-

Product datasheet

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321094803	2722	Unpacked 1	28 mm x 7 mm x 10 mm	0.00 dm ³	5.17 g
4008321094810	2722	Folding carton box 10	41 mm x 47 mm x 99 mm	0.19 dm ³	15.01 g
4008321094827	2722	Shipping carton box 50	148 mm x 55 mm x 115 mm	0.94 dm ³	105.05 g
4050300925783	2722	Blister 2	78 mm x 7 mm x 36 mm	0.02 dm ³	8.67 g
4008321140333	2722	Shipping carton box 20	137 mm x 105 mm x 80 mm	1.15 dm ³	102.67 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.